




## Specifications



- Body: Powder-coated steel with 10" run-flat wheels.
- Weight: 474 lbs.
- Inlet: 8" standard. 6" optional.
- Outlet: 8".
- Motor: Electric start Vanguard 35hp V-Twin.
- Oil Alert system shuts motor when oil is low to prevent engine damage.
- Fuel: 8 gallon gas tank.
- Impeller: 25" diameter 1/4" thick abrasive resistant steel.
- Shroud - 1/4" thick abrasive resistant in main wear area.
- Warranty: 1 year ltd; Vanguard provides 3 year engine.

Not for sale in CA

Specifications subject to change; contact Intec for current specifications

## Features

- 35hp V-Twin electric start w/ 3 year Vanguard warranty
- ✓ Oversized shaft
- ✓ Commercial grade air filter
- ✓ Cooling inlet air filter to reduce maintenance



- Abrasive resistant steel construction to increase value:
  - ✓ shroud in wear areas
  - ✓ impeller

- Intec exclusive 'anti-tip' frame




## Accessories – can be used with all vacuums



### Enhance Safety & Extend the Vacuum's Life

- ✓ Safety enhanced by limiting foreign objects from exiting vacuum at high speeds.
- ✓ Vacuum's Life extended by preventing foreign materials from entering the vacuum & potentially causing damage to the impeller, shroud, and engine.



### Eliminate Bag Change Down Time



Keep filling bags with no down-time

2 Individuals with One Vacuum

Obtain desired flexibility while maintaining vacuums natural production



### Simplify pickup

- ✓ 4" and 6" diameters, 4' and 2' lengths.
- ✓ Swivel hose connector simplifies movement.



- ✓ Translucent ~ see product flow
  - ✓ Extra durable to resist punctures
  - ✓ Smooth interior for enhanced production
  - ✓ Blue wear strip extends life
- also look to Intec for vacuum bags

6" diameter vacTUFF hose

4" diameter vacTUFF hose

Intec's swivel hose connectors

vacSHIELD

vacTUBES

Distributed by



Manufactured by

Insulation Technology Corporation, d.b.a. Intec  
9251 Bruin Boulevard  
Frederick, CO 80504

Click pictures for website link



Local: 303-833-6644  
Fax: 303-833-6650  
sales@inteccorp.com

www.inteccorp.com

... it's the 'tec' inside that counts!








# VORTEC® MEGA Beast - inlet

## Hose configurations when using VORTEC MEGA twin TURBOs

**Package #: 74000 M Beast PKG 44 (not for sale in CA); 74000H MBeast PKG 44 (CA Sales)**  
 (packages provide for both inlet and outlet)



**Package #: 74000 M Beast PKG 64 (not for sale in CA); 74000H MBeast PKG 64 (CA Sales)**  
 (packages provide for both inlet and outlet)




Note: Small section of hose connecting vacuum to vacSHIELD is cut from one of the 50' lengths of 8" diameter hose.



# VORTEC® MEGA Beast - outlet

## Hose configurations when using VORTEC MEGA twin TURBOs



### VORTEC vacBAGs

- 74004 VORTEC BLACK
- 74004 VORTEC PLATINUM
- 74004 VORTEC BETTER
- 74004 VORTEC STANDARD

### VORTEC vacTUFF hose

#: 74208-25 – 8" diameter 25' long

### Legend

Hose clamp

Hose Connector



8"



8"

Rev 20221203

[www.inteccorp.com](http://www.inteccorp.com)

303-833-6644

innovation

trust

integrity

excellence